Neuroscience Letters, 181 (1994) 173–175
Elsevier Ireland Ltd.

AUTHOR INDEX

Abbondi, T., see Bottini, F., 35
Alonso-Cortina, V., see Naves, F.J., 73
Archer, S., see Maisonneuve, I.M., 57
Arndt, J.O., see Kindgen-Milles, D., 39

Barjavel, M.J. and Bhargava, H.N., Effect of opioid receptor agonists on nitric oxide synthase activity in rat cerebral cortex homogenate, 27
Bartlett, P.F., see Kilpatrick, T.J., 129
Beck, B., Stricker-Krongrad, A., Musse, N., Nicolas, J.-P. and Burlet, C., Putative neuropeptide Y antagonist failed to decrease overeating in obese Zucker rats, 126
Bellmann, R., see Röder, C., 158
Bhargava, H.N., see Barjavel, M.J., 27
Bickmeyer, U., Rössler, W. and Wiegand, H., Omega AGA toxin IVA blocks high-voltage-activated calcium channel currents in cultured pars intercerebralis neurosecretory cells of adult locusta migratoria, 113
Bloms-Funke, P., Mußhoff, U., Madeja, M., Spener, F. and Speckmann, E.-J., Decrease and increase of responses to glutamate receptor agonists in RNA-injected *Xenopus* oocytes by the epileptogenic agent pentylenetetrazol: dependence on the agonist concentration, 161
Bottini, F., Mazzocco, K., Abbondi, T. and Tonini, G.P., Identification of an AP-1-like sequence in the promoter region of calcyclin, a S-100-like gene. Enhancement of binding during retinoic acid-induced neuroblastoma cell differentiation, 35
Bretag, A.H., see Lewis, T.M., 83
Brindel, I., Preud'homme, J.-L., Vallat, J.-M., Vincent, D., Vasquez, J.-L. and Jauberteau, M.-O., Monoclonal IgM reactive with several gangliosides in a chronic relapsing polyneuropathy, 103
Brown, G.C., see Mehmet, H., 121
Bruno, J.P., see Byrnes, E.M., 69
Buckingham, S.D., Hosie, A.M., Roush, R.L. and Sattelle, D.B., Actions of agonists and convulsant antagonists on a *Drosophila melanogaster* GABA receptor (Rdl) homo-oligomer expressed in *Xenopus* oocytes, 137
Burlet, C., see Beck, B., 126
Byrnes, E.M., Johnson, B.J. and Bruno, J.P., D_1- and D_2-receptor mediation of motoric behavior in rats depleted of DA as neonates: effects of age and size of depletion, 69

Cabal, A., see Naves, F.J., 73
Cady, E., see Mehmet, H., 121
Calzada, B., see Naves, F.J., 73
Canton, H., Verrièle, L. and Millan, M.J., Competitive antagonism of serotonin $(5\text{-HT})_{2C}$ and 5-HT_{2A} receptor-mediated phosphoinositide (PI) turnover by clozapine in the rat: a comparison to other antipsychotics, 65
Carabelli, V., see Grassi, C., 50
Carbone, E., see Grassi, C., 50
Cardoso, S.A., see Lopes, M.C., 1
Carvalho, A.P., see Lopes, M.C., 1
Chapman, K., see Morrison, C.F., 117
Cheema, S.S., see Kilpatrick, T.J., 129
Conn, P.J., see Desai, M.A., 78
Cooper, C., see Mehmet, H., 121
Cumberbatch, M.J., Herrero, J.F. and Headley, P.M., Exposure of rat spinal neurones to NMDA, AMPA and kainate produces only short-term enhancements of responses to noxious and non-noxious stimuli, 98

Dehaut, F., Haddad, K. and Leterrier, J.F., Polyreactive autoimmune response induced by PC 12 cell grafts into rat striatum, 22
Del Valle, M.E., see Naves, F.J., 73
Desai, M.A., McBain, C.J., Kauer, J.A. and Conn, P.J., Metabotropic glutamate receptor-induced disinhibition is mediated by reduced transmission at excitatory synapses onto interneurons and inhibitory synapses onto pyramidal cells, 78

Edwards, A.D., see Mehmet, H., 121

Feltz, A., see Zerr, P., 153
Fernandez-Sanchez, M.T., see Naves, F.J., 73
Fernell, E., see Tani, Y., 169

Glick, S.D., see Maisonneuve, I.M., 57
Grassi, C., Magnelli, V., Carabelli, V., Sher, E. and Carbone, E., Inhibition of low- and high-threshold Ca^{2+} channels of human neuroblastoma IMR32 cells by Lambert-Eaton myasthenic syndrome (LEMS) IgGs, 50

Haddad, K., see Dehaut, F., 22
Harmar, A.J., see Sheward, W.J., 31
Headley, P.M., see Cumberbatch, M.J., 98
Herrero, J.F., see Cumberbatch, M.J., 98
Hirata, K., see Ohno-Shosaku, T., 145
Horisberger, M.A., see Yamada, T., 61
Hosie, A.M., see Buckingham, S.D., 137

Ibata, Y., see Okamura, H., 165
Iskender, E., see Zırh, T.A., 13

Jauberteau, M.-O., see Brindel, I., 103
Johnson, B.J., see Byrnes, E.M., 69

Kanai, T., see Tani, Y., 169
Kato, T., Kurita, K., Kawanami, T. and Sasaki, H., Detection of a 23 kDa human brain protein that shares epitope(s) with the 17 kDa core protein of human immunodeficiency virus (HIV), 134
Kauer, J.A., see Desai, M.A., 78
Kawaguchi, N., see Yamada, T., 61
Kawanami, T., see Kato, T., 134
Kilpatrick, T.J., Cheema, S.S., Koblar, S.A., Tan, S.-S. and Bartlett, P.F., The engraftment of transplanted primary neuroepithelial cells within the postnatal mouse brain, 129
Kindgen-Milles, D., Klement, W. and Arndt, J.O., The nociceptive systems of skin, paravascular tissue and hand veins of humans and their sensitivity to bradykinin, 39
Kirkbride, V., see Mehmet, H., 121
Klement, W., see Kindgen-Milles, D., 39
Koblar, S.A., see Kilpatrick, T.J., 129
Kovelowski, C.J., see Ossipov, M.H., 9
Krause, J.E., see Röder, C., 158
Kravari, K., see Theophilidis, G., 91

Kudernatsch, M. and Sutor, B., Cholinergic modulation of dopamine overflow in the rat neostriatum: a fast cyclic voltammetric study in vitro, 107
Kurita, K., see Kato, T., 134

Långström, B., see Tani, Y., 169
Lahiri, D.K., Reversibility of the effect of tacrine on the secretion of the β-amyloid precursor protein in cultured cells, 149
Leterrier, J.F., see Dehaut, F., 22
Lewis, T.M., Roberts, M.L. and Bretag, A.H., Immunolabelling for VDAC, the mitochondrial voltage-dependent anion channel, on sarcoplasmic reticulum from amphibian skeletal muscle, 83
Lopes, M.C., Cardoso, S.A., Schousboe, A. and Carvalho, A.P., Amino acids differentially inhibit the L-[^{3}H]arginine transport and nitric oxide synthase in rat brain synaptosomes, 1
Lorek, A., see Mehmet, H., 121
Lutz, E.M., see Sheward, W.J., 31
Lyons, V., see Morrison, C.F., 117

Madeja, M., see Bloms-Funke, P., 161
Magnelli, V., see Grassi, C., 50
Maisonneuve, I.M., Archer, S. and Glick, S.D., U50,488, a κ opioid receptor agonist, attenuates cocaine-induced increases in extracellular dopamine in the nucleus accumbens of rats, 57
Mazzocco, K., see Bottini, F., 35
McAllister, J., see Morrison, C.F., 117
McBain, C.J., see Desai, M.A., 78
McCarson, K.E., see Röder, C., 158
Mehmet, H., Yue, X., Squier, M.V., Lorek, A., Cady, E., Penrice, J., Sarraf, C., Wylezinska, M., Kirkbride, V., Cooper, C., Brown, G.C., Wyatt, J.S., Reynolds, E.O.R. and Edwards, A.D., Increased apoptosis in the cingulate sulcus of newborn piglets following transient hypoxia-ischaemia is related to the degree of high energy phosphate depletion during the insult, 121
Millan, M.J., see Canton, H., 65
Mochizuki, T., see Niimi, M., 87
Mody, I., see Soltesz, I., 5
Mohr, B., Pulvermüller, F., Rayman, J. and Zaidel, E., Interhemispheric cooperation during lexical processing is mediated by the corpus callosum: evidence from the split-brain, 17
Moroo, I., see Yamada, T., 61
Morrison, C.F., McAllister, J., Lyons, V., Chapman, K. and Quinn, J.P., The rat preprotachykinin-A promoter is regulated in PC12 cells by the synergistic action of multiple stimuli, 117
Musse, N., see Beck, B., 126
Mußhoff, U., see Bloms-Funke, P., 161

Naves, F.J., Calzada, B., Cabal, A., Alonso-Cortina, V., Del Valle, M.E., Fernandez-Sanchez, M.T. and Vega, J.A., Expression of β-amyloid precursor protein (APP) in human dorsal root ganglia, 73
Neuper, C., see Pfurtscheller, G., 43
Nicolas, J.-P., see Beck, B., 126
Niimi, M., Mochizuki, T., Yamamoto, Y. and Yamatodani, A., Interleukin-1β induces histamine release in the rat hypothalamus in vivo, 87

Ohno-Shosaku, T., Hirata, K., Sawada, S. and Yamamoto, C., Contributions of multiple calcium channel types to GABAergic transmission in rat cultured hippocampal neurons, 145
Okamura, H. and Ibata, Y., GRP immunoreactivity shows a day–night difference in the suprachiasmatic nuclear soma and efferent fibers: comparison to VIP immunoreactivity, 165
Oktay, S., see Zırh, T.A., 13
Onat, F., see Zırh, T.A., 13
Ossipov, M.H., Kovelowski, C.J., Vanderah, T. and Porreca, F., Naltrindole, an opioid δ antagonist, blocks the enhancement of morphine-antinociception induced by a CCK_B antagonist in the rat, 9

Pamir, M.N., see Zırh, T.A., 13
Pasternak, G.W., see Visconti, L.M., 47
Penrice, J., see Mehmet, H., 121
Pfurtscheller, G., Pregenzer, M. and Neuper, C., Visualization of sensorimotor areas involved in preparation for hand movement based on classification of μ and central β rhythms in single EEG trials in man, 43
Porreca, F., see Ossipov, M.H., 9
Pow, D.V., Immunocytochemical evidence for a glial localisation of arginine, and a neuronal localisation of citrulline in the rat neurohypophysis: implications for nitrergic transmission, 141
Pregenzer, M., see Pfurtscheller, G., 43
Preud'homme, J.-L., see Brindel, I., 103
Pulvermüller, F., see Mohr, B., 17

Quinn, J.P., see Morrison, C.F., 117

Rayman, J., see Mohr, B., 17
Reynolds, E.O.R., see Mehmet, H., 121
Roberts, M.L., see Lewis, T.M., 83
Röder, C., Bellmann, R., McCarson, K.E., Krause, J.E. and Sperk, G., Kainic acid induced seizures cause a marked increase in the expression of neurokinin-3 receptor mRNA in the rat cerebellum, 158
Rössler, W., see Bickmeyer, U., 113
Roush, R.L., see Buckingham, S.D., 137

Sarraf, C., see Mehmet, H., 121
Sasaki, H., see Kato, T., 134
Sattelle, D.B., see Buckingham, S.D., 137
Sawada, S., see Ohno-Shosaku, T., 145
Schiller, P.W., see Visconti, L.M., 47
Schousboe, A., see Lopes, M.C., 1
Sher, E., see Grassi, C., 50
Sheward, W.J., Lutz, E.M. and Harmar, A.J., The expression of the calcitonin receptor gene in the brain and pituitary gland of the rat, 31
Smith, G.M., see Soltesz, I., 5
Soltesz, I., Zhou, Z., Smith, G.M. and Mody, I., Rapid turnover rate of the hippocampal synaptic NMDA-R1 receptor subunits, 5
Speckmann, E.-J., see Bloms-Funke, P., 161
Spener, F., see Bloms-Funke, P., 161
Sperk, G., see Röder, C., 158
Squier, M.V., see Mehmet, H., 121
Standifer, K.M., see Visconti, L.M., 47
Stricker-Krongrad, A., see Beck, B., 126
Sutor, B., see Kudernatsch, M., 107

Tan, S.-S., see Kilpatrick, T.J., 129
Tani, Y., Fernell, E., Watanabe, Y., Kanai, T. and Långström, B., Decrease in 6R-5,6,7,8-tetrahydrobiopterin content in cerebrospinal fluid of autistic patients, 169
Theophilidis, G. and Kravari, K., Dimethylsulfoxide (DMSO) eliminates the response of the sensory neurones of an insect mechanoreceptor, the femoral chordotonal organ of *Locusta migratoria*, but blocks conduction of their sensory axons at much higher concentrations: a possible mechanism of analgesia, 91

Tonini, G.P., see Bottini, F., 35
Toyoda, T., see Yamada, T., 61

Vallat, J.-M., see Brindel, I., 103
Vanderah, T., see Ossipov, M.H., 9
Vasquez, J.-L., see Brindel, I., 103
Vega, J.A., see Naves, F.J., 73
Verrièle, L., see Canton, H., 65
Vincent, D., see Brindel, I., 103
Visconti, L.M., Standifer, K.M., Schiller, P.W. and Pasternak, G.W., TIPP[Ψ], a highly selective δ ligand, 47

Watanabe, Y., see Tani, Y., 169
Wiegand, H., see Bickmeyer, U., 113
Wyatt, J.S., see Mehmet, H., 121
Wylezinska, M., see Mehmet, H., 121

Yamada, T., Horisberger, M.A., Kawaguchi, N., Moroo, I. and Toyoda, T., Immunohistochemistry using antibodies to α-interferon and its induced protein, MxA, in Alzheimer's and Parkinson's disease brain tissues, 61
Yamamoto, C., see Ohno-Shosaku, T., 145
Yamamoto, Y., see Niimi, M., 87
Yamatodani, A., see Niimi, M., 87
Yue, X., see Mehmet, H., 121

Zaidel, E., see Mohr, B., 17
Zerr, P. and Feltz, A., Forskolin blocks the transient K current of rat cerebellar granule neurons, 153
Zhang, L., The role of protein kinase C in inducing Alzheimer's A68 protein expression in the culture of human neuroblastoma cells, 95
Zhou, Z., see Soltesz, I., 5
Zırh, T.A., Iskender, E., Onat, F., Pamir, M.N. and Oktay, S., Muscarinic receptors in rat cortex, hippocampus, hypothalamus and brainstem following transient forebrain ischemia and hemorrhagic shock, 13